


1

1 30%



2. + +

3. $\wedge$ $\wedge$

4.

5.

6.

7.

8. $1 \vee (A' > \epsilon)$

9.

10.

11.

12.

ğ

500

3.

4.

50 n "22

500

5.

$$Q \in \mathbb{R}^{p \times \tilde{N}}$$

•

50

 $\hat{\mathcal{O}}$

v

5000 Ξ $\cdot$ $\cdot$ H $\cdot$)

Ô E Ẹp̃p̃Ñ•n'†— Đ

6. 00i

O

70%

1

30%

1

30%

2/3

1

1

6

$\ddot{\alpha}$

2

1

1

1


$\vec{\alpha}$

o

o

o

1 c



90

10%

10%

1

1%

1%

10

2

$\vec{\alpha}$

$\vec{\alpha}$

∇

√

√

o Y j o

√

n

8 7

á ~ N

J 7 Ì

20

15

' E μ 0 R-DEÆ μ i x (E

ì

o

o

3:00

9:30

3:00

7

$\ddot{\alpha}$

$\ddot{U}$

$\ddot{\alpha}$


2

1

© 2015 Apple Inc. All rights reserved.

\$(! P \$(I,1U — 1

कुल्लु



√

1

1

1

1

1

1

0

$\vec{\alpha}$

10

γ

M^{-1}

γ

γ

()

()

$2/3$



1

ã

1

1

1

$\vec{\alpha}$

2

$\vec{\alpha}$

o

$\vec{\alpha}$

()

1

$\bar{\alpha}$

o

$\bar{\alpha}$

60

√

Λ

Λ

Λ

€yr'I Ì

ǎ

√

p

√

√

i

q

